## MOUNT CARMEL HEALTH SYSTEM GROVE CITY HOSPITAL

Situated in the State of Ohio, County of Franklin, City of Grove City, and in Virginia Military Survey Number 1434, containing 103.566 acres of land, more or less, said 103.566 acres being part of that tract of land conveyed to **MOUNT CARMEL HEALTH SYSTEM** by deed of record in Instrument Number 201209210141441, Recorder's Office, Franklin County, Ohio.

The undersigned, MOUNT CARMEL HEALTH SYSTEM, an Ohio non-profit corporation, by KEITH T. COLEMAN, Senior Vice President of Finance and Chief Financial Officer, owner of the lands platted herein, duly authorized in the premises, do hereby certify that this plat correctly represents its "MOUNT CARMEL HEALTH SYSTEM GROVE CITY HOSPITAL", a subdivision containing Lots 1, 2 and 3 and an area designated as Reserve "A", does hereby accept this plat of same and dedicates to public use, as such, all of Mount Carmel Lane and Hoover Road shown hereon and not heretofore dedicated.

Easements, within areas designated "Easement" or "Drainage Easement" on this plat, are hereby granted to the City of Grove City, Ohio, American Electric Power, and Ameritech, and their successors and assigns. Each of the aforementioned designated easements permit the constructing, using and maintaining of public and private utilities above, beneath, and on the surface of the ground, and where necessary, are for the construction, operation and maintenance of service connections to all adjacent Lots and lands and for storm water drainage. Within areas designated "Drainage Easement" on this plat, an additional easement is hereby granted to the City of Grove City, Ohio, its successors and assigns, for the purpose of constructing, using and maintaining storm water drainage swales and or other above ground storm water drainage facilities. Except as provided for in the developer's overall scheme for the development of MOUNT CARMEL HEALTH SYSTEM GROVE CITY HOSPITAL, no above grade structures, dams or other obstructions to the flow of storm water runoff are permitted within Drainage Easement areas as delineated on this plat.

In Witness Whereof, KEITH T. COLEMAN, Senior Vice President of Finance and Chief Financial Officer of MOUNT CARMEL HEALTH SYSTEM, has hereunto set his hand this \_\_day of \_\_\_\_\_, 20\_\_\_\_.

**MOUNT CARMEL** Signed and Acknowledged **HEALTH SYSTEM** In the presence of: KEITH T. COLEMAN, Senior Vice President of Finance and Chief Financial Officer

STATE OF OHIO COUNTY OF FRANKLIN ss:


Before me, a Notary Public in and for said State, personally appeared KEITH T. COLEMAN, Senior Vice President of Finance and Chief Financial Officer of MOUNT CARMEL HEALTH SYSTEM, who acknowledged the signing of the foregoing instrument to be his voluntary act and deed and the voluntary act and deed of said MOUNT CARMEL HEALTH SYSTEM for the uses and purposes expressed herein.

In Witness Thereof, I have hereunto set my hand and affixed my official seal this \_\_\_\_ day of \_\_\_\_\_, 20\_\_\_.

My commission expires \_\_\_\_\_ Notary Public, State of Ohio

Approved this Day of	
201	Chairman, Planning Commission,
<del></del>	Grove City, Ohio
	√ 
Approved this Day of	C'. F
201	City Engineer,
	Grove City, Ohio
Approved this Day of	Director of Dublic Compies
201	Director of Public Service,
	Grove City, Ohio
A managed this Day of	
Approved this Day of	Mayor, Grove City, Ohio
201	Mayor, Grove City, Onio
Approved and accepted by Ordinance N	No, passed this day of
201 wherein all of	Mount Carmel Lane and Hoover Road, shown
dedicated hereon are accepted by the Coun	icil of the City of Grove City, Ohio.
	•
In Witness Thereof I have hereunto	
set my hand and affixed my seal this	City Clerk, Grove City, Ohio
day of, 201	
Transferred this day of,	A 1'd County Ohio
201	Auditor, Franklin County, Ohio
	Deputy Auditor, Franklin County, Ohio
	Deputy Additor, Trankini County, Onio
Filed for record thisday of,	
201 at, M. Fee \$	Recorder, Franklin County, Ohio
201 at	
File No.	
Recorded this day of,	
201	Deputy Recorder, Franklin County, Ohio
	* *

Plat Book \_\_\_\_\_, Pages \_\_\_\_



LOCATION MAP AND BACKGROUND DRAWING

NOT TO SCALE

## **SURVEY DATA:**

BASIS OF BEARINGS: Bearings are based on the Ohio State Plane Coordinate System, South Zone, per NAD83 (1986 adjustment). Control for bearings was from coordinates of monuments FCGS 5548 and FCGS 5539, having a bearing of North 00° 21' 40" East for a portion of the centerline of Hoover Road, established by the Franklin County Engineering Department.

**SOURCE OF DATA**: The sources of recorded survey data referenced in the plan and text of this plat are the records of the Franklin County, Ohio, Recorder.

IRON PINS: Iron pins, where indicated hereon, unless otherwise noted, are to be set and are iron pipes, thirteen-sixteenths inch inside diameter, thirty inches long with a plastic plug placed in the top end bearing the initials EMHT

PERMANENT MARKERS: Permanent markers, where indicated hereon in the public street centerline, are to be one-inch diameter, thirty-inch long, solid iron pins, are to be set to monument the points indicated, are to be set after the construction/installation of the street pavement and are to be set with the top end one-fourth inch below the top of the payement. Once installed, the top of the pin shall be marked (punched) to record the actual location of the point. Permanent markers, where indicated hereon in positions other than in the public street centerline, are to be one-inch diameter, thirty-inch long, solid iron pins, are to be set to monument the points indicated and are to be set with the top end flush with the surface of the ground and then capped with an aluminum cap stamped EMHT INC. Once installed, the top of the cap shall be marked (punched) to record the actual location of the point.

SURVEYED & PLATTED



We do hereby certify that we have surveyed the above premises, prepared the attached plat, and that said plat is correct. All dimensions are in feet and decimal parts thereof.


o = Iron Pin (See Survey Data)

MAR 0 2 1018

- = MAG Nail to be set

Professional Surveyor No. 7865

Date





- ① Δ=45°52'30" R=500.00' Arc=400.34' ChBrg=N69'45'45"E Ch=389.73'
- ② Δ=41°04'37" R=500.00' Arc=358.46' ChBrg=N21'39'10"E Ch=350.84'
- ③ Δ=45°52'30" R=580.00' Arc=464.39' ChBrg=S69°45'45"W Ch=452.08'
- (4) S02'40'15"W 56.08' ⑤ S47°40'15"W
- ⑥ Δ=41°04'37" R=580.00' Arc=415.82' ChBrg=S21'39'10"W Ch=406.97'

- WILLIAM M. PLANK AND KIMBERLY D. PLANK I.N. 200310020316295
- DONALD J. RIFE AND LINDA L. RIFE O.R. 15350A14
- THE RICE FAMILY LIVING TRUST MARY P. RICE, TRUSTEE I.N. 201007260094467 I.N. 199909240241709
- WALLACE D. LEWELLYN AND ELIZABETH S. LEWELLYN O.R. 26732D08

- VINSON P. LEWIS AND DAWN M. LEWIS O.R. 9751H10
- THE CITY OF GROVE CITY, OHIO I.N. 200001180010675
- THE CITY OF GROVE CITY, OHIO I.N. 199901260019339
- THE CITY OF GROVE CITY, OHIO I.N. 199901260019336
- THE CITY OF GROVE CITY, OHIO I.N. 199901260019338
- JACKSON TOWNSHIP, FRANKLIN COUNTY, OHIO O.R. 13747108

NOTE "A": At the time of platting, part of Reserve "A" is in Zone A (special flood hazard areas subject to flooding by the 1% annual chance flood, no base flood elevations determined), part of Reserve "A" and Lot 1 are in Zone AE Floodway (the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increase in flood heights), in Zone AE (special flood zone areas subject to inundation by the 1% annual chance flood, base flood elevations determined), and Zone X (Shaded) (Areas of 0.2% annual chance flood, areas of 1% annual chance flood with average deaths of less than 1 foot or annual chance flood with average depths of less than 1 foot or within drainage areasless than 1 square mile; and areas protected by levees from 1% annual chance flood). The remainder of the platted area is within Zone X (Areas determined to be outside of the 0.2% annual chance floodplain), as said Zones are designated and delineated on the FEMA Flood insurance rate map for Franklin County, Ohio, and Incorporated areas map number 39049C0402K, with effective date of June 17, 2008.

NOTE "B" - ACREAGE BREAKDOWN: Mount Carmel Health System Grove City Hospital is out of the following Franklin County Parcel Number:

040-004960 103.566 Ac.

NOTE "C" - ACREAGE BREAKDOWN:

Total Acreage	103.566 Ac.
Acreage in Reserve	23.689 Ac.
Acreage in Remaining Lots	75.388 Ac.
Acreage in Right-of-way	4.489 Ac.

NOTE "D" - RELEASE OF CERTAIN EASEMENTS: All rights and easements granted to the City of Grove City, Ohio by deed of easement in Instrument 201303200046819, in, over and under the areas indicated hereon by hatching, are hereby released and rendered null and void.

**NOTE** "E": The purpose of this plat is to show certain property, rights of way, and easement boundaries as of the time of platting. At the request of zoning and planning authorities filing this plat for reference only. The limitations and requirements may change from time to time and should be reviewed to determine the then current applicable use and government authority having jurisdiction. The then applicable zoning code shall have control over conflicting limitations and requirements that may be shown as on this plat. This note should not be construed as creating plat or subdivision restrictions, private use restrictions, covenants running with the land or title encumbrances of any nature, except to the extent

CENTERLINE CURVE TABLE					
CURVE NO.	DELTA	RADIUS	LENGTH	CHORD BEARING	CHORD DISTANC
C1	12'02'32"	510.00'	107.19	S 86°20'07" W	106.9
C2	18'21'51"	510.00'	163.46	N 89*29'47" E	162.7
C3	9*45'24"	510.00'	86.85	N 86°12'00" W	86.7
C4	6'00'37"	507.00	53.18	S 85'55'00" W	53.1
C5	23'08'36"	510.00	206.00'	S 71°20'23" W	204.6
C6	16'20'45"	510.00'	145.50'	N 67'56'27" E	145.0
C7	15'00'00"	510.00'	133.52	N 83°36'50" E	133.1

\	TABLE	NTERLINE LINE	CE
	DISTANCE	BEARING	LINE
	338.29'	N87'38'37"W	L1
	48.45	S80°18'51"W	L2
	15.11'	N81'19'18"W	L3
	589.29'	S88*55'18"W	L4
	56.24	S82'54'41"W	L5
	182.43	S59°46'05"W	L6
	376.80'	S76'06'50"W	L7
	132.35	N88*53'10"W	L8

CURVE NO.	DELTA	RADIUS	LENGTH	CHORD BEARING	CHORD DISTANCE
C8	15°41'55"	542.00'	148.50'	N 83*15'52" E	148.04
C9	15°00'00"	480.00'	125.66'	N 83'36'50" E	125.31
C10	16*20'45"	540.00	154.06'	N 67*56'27" E	153.53
C11	16'20'45"	480.00'	136.94'	N 67*56'27" E	136.47
C12	23'08'36"	480.00'	193.89'	S 71°20'23" W	192.57
C13	23'08'36"	540.00'	218.12	S 71°20'23" W	216.64
C14	6'00'37"	477.00'	50.04	S 85°55'00" W	50.01
C15	6*00'37"	537.00'	56.33	S 85°55'00" W	56.30
C16	9*45'24"	480.00'	81.74'	N 86*12'00" W	81.64
C17	9*45'24"	540.00'	91.95	N 86*12'00" W	91.84
C18	18'21'51"	540.00'	173.08'	N 89'29'47" E	172.34
C19	18*21'51"	480.00'	153.85'	N 89*29'47" E	153.19
C20	12*02'32"	480.00'	100.88	S 86'20'07" W	100.70
C21	12*02'32"	540.00'	113.50'	S 86'20'07" W	113.29
C22	56*34'33"	178.02'	175.79'	S 00°15'01" W	168.73
C23	71°42'48"	238.98'	299.11	N 07*19'06" W	279.96
C24	45*55'44"	178.02	142.71'	S 20°12'39" E	138.92


CURVE TABLE

SHIRLEY A. ARICK, TRUSTEE at the time of platting, this plat shows some of the limitations and requirements of the zoning code in effect on the date of I.N. 200810080150626 THE CITY OF GROVE CITY, OHIO I.N. 199901260019337 NOTE "F" - RESERVE "A": Reserve "A", as designated and JOHN A. TILLEY, III delineated hereon, shall be owned and maintained by the City of development limitations of the zoning code as adopted by the AND AMY M. TILLEY Grove City for the purpose of open space. THE CITY OF GROVE CITY, OHIO I.N. 201009280126795 I.N. 199901260019319 GRAPHIC SCALE (in feet) TOWNSHIP OF JACKSON specifically identified as such. PARCEL 1-WDV 15. N. S. W. I.N. 200604040062390 BLUEGRASS LANE MOUNT CARMEL LANE P.B. 66, P. 53 Existing Conservation Easement I.N. 201404300052565 Δ=4'04'14" R=11704.30'
Arc=831.51'
ChBrg=S40'09'22"W
Ch=831.33' Existing Utility Easement I.N. 201303200046818 Existing Sanitary \forall \interpools \text{Sewer Easement} \ \text{I.N. 201303200046819} RESERVE "A" **2** 2.987 Ac. 23.689 Ac. See Note "F" HOOVER ROAD Existing Conservation
Easement
1.N. 201404300052565 P.B. 76, P. 27 N87'22'44"W THE BUCKEYE RANCH FOUNDATION, INC. 2548.47' -CITY OF GROVE CITY, OHIO I.N. 199809090228735 N81°53'57"W 228.35' I.N. 201301220010812 GATEWAY BUSINESS PARK P.B. 86, PP. 4 & 5 LOT 6

N87'22'44"W

N38'51'36"W 136.30'

## MOUNT CARMEL HEALTH SYSTEM GROVE CITY HOSPITAL



- ② Δ=41°04'37" R=500.00' Arc=358.46' ChBrg=N21°39'10"E Ch=350.84'
- 3 Δ=45°52'30" R=580.00' Arc=464.39' ChBrg=S69°45'45"W Ch=452.08'
- ④ S02°40'15"W 56.08'
- ⑤ S47'40'15"W 28.33'
- ⑥ Δ=41°04'37" R=580.00' Arc=415.82' ChBrg=S21°39'10"W Ch=406.97'

